

H.A

**Notice of Allowability****Application No.**

10/765,617

**Applicant(s)**

TOTH ET AL.

**Examiner**

Elizabeth Keane

**Art Unit**

2882

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to remarks filed 30 June 2005.
2. ☒ The allowed claim(s) is/are 1-22.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 9/16/05.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

### **DETAILED ACTION**

The Remarks filed 30 June 2005 have been entered.

#### ***Response to Arguments***

Applicant's arguments, see Remarks, filed 30 June 2005, with respect to claims 1, 11 and 17 have been fully considered and are persuasive. The rejection of claims 1-22 has been withdrawn.

#### ***Allowable Subject Matter***

Claims 1-22 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

The best prior art of record discloses a method of imaging, a tomographic system and a computer readable storage medium capable of positioning a subject in an imaging device, performing at least one scout scan, marking a region-of-interest and an attenuation filter within the device. However, the prior art fails to teach or fairly suggest a method of imaging, as required by claim 1; a tomographic system, as required by claim 11; and a computer readable storage medium, as required by claim 17; wherein the attenuation characteristic of the attenuation filter is automatically adjusted based on a user-defined region-of-interest. Claims 2-10, 12-16 and 18-22 are allowable by virtue of their dependency.

Art Unit: 2882

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- US Patent 5,400,378 discloses a CT system wherein a scout scan is performed and the attenuation characteristic of the attenuation filter is changed, however the attenuation characteristic is not changed based on a user-defined region of interest.
- US Patent 6,836,535 discloses a CT system wherein a scout scan is performed and a ROI is determined, however the attenuation filter is positioned to prevent radiation exposure outside of the ROI.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Keaney whose telephone number is (571)272-2489. The examiner can normally be reached on Monday, Tuesday, Thursday, Friday 7:30-6:00.

Art Unit: 2882

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571)272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
emk

  
EDWARD GLICK  
SUPERVISORY PATENT EXAMINER